6 June 1957 MEMORABUM FOR: THE RECORD 25X1 **SUBJ**ICT : Conference Report, 1. Time and Place of Meeting: The meeting was held in Westout Building, Room B-17 on May 14, 1957 and May 28, 1957. 25X1 2. Attendance: 3. Parpose: To discuss and review: 25X1 All-30 Collapsible Lens Barrel. 25X1 Discussion: 25X1

SECHLI

Declassified in Part - Sanitized Copy Approved for Release 2012/02/21: CIA-RDP78-03172A000200040019-7

SECRET

25X1

25X1

| SUBJECT : Conference Report, | N | CHOKADUM | FOR: | DIE RECORD | | | |
|------------------------------|---|---------------|------|------------|---------|--|--|
| | £ | UBJECT | : | Conference | Report, | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

D. AH-38, Collapsible Laus Barrel

A proposal substitted previously for a minimum weight collapsing barrel utilizing the 40 inch f/6.3 Astro lens was reviewed. The design goal in the proposal was for 11 lbs weight, a mine 1b reduction from the original unit. The requirements were discussed relative to further reducing the weight. Since the light weight berrel would not be used with a tripod operationally, its rigidity could be based on ground mounting which would provide support along almost the entire length.

With this new concept, it appears possible to reduce the weight to 3 lbs total or a reduction of 12 lbs from the original unit. This proposal is being prepared and will be submitted as soon as possible.

SECRET SECRET

Declassified in Part - Sanitized Copy Approved for Release 2012/02/21 : CIA-RDP78-03172A000200040019-7

